

Fig. 1A  
(Prior Art)




Fig. 4

20250908 09:46:02

20220702 10074648





Fig. 1B  
(Prior Art)

10074648 . 024202






FIG. 3

202120" 84942007




Fig. 5

2022084942001




Fig. 6

202120" 84942001




Fig. 7

10074644-00120




Fig. 8



202208494Z001




Fig. 9

202720" 849400T




FIG. 10




Fig. 11




Fig. 12

202120" 1349400T

20240818.021202




FIG. 13




Fig. 14A

2022-08-24 10:07:43.021200




Fig. 14B

10074648, 021202




FIG. 15A

Character	In Binary	(reverse the bits)	Reversed and framed by start / stop bits
332a p	01010000	00001010	0000011101 — 368a
332b a	01100001	10000110	364a 0100001101 — 368b
s	01110011	11001110	364b 0110011101
s	01110011	11001110	0110011101
w	01110111	11101110	0111011101
o	01101111	11110110	0111101101
r	01110010	01001110	0010011101
d	01100100	00100110	0001001101
<return>	00001011	11010000	0110100001

FIG. 15B

10074648-021202




Fig. 16



20220720 08:48:02




Fig. 17

20210220 10074648




Fig. 18

20250313 10:44:00




Fig. 19

202T20" 849400T 10074648" 021202




FIG. 20




FIG. 21